

Truisty, BROUILLON

vsftpd FAQ (traduction de questions fréquemment posées)

- Puis-je restreindre les utilisateurs à leur répertoire HOME ?
- Pourquoi les liens symboliques ne fonctionnent-ils pas avec `chroot_local_user=YES` ?
- vsftpd peut-il limiter le nombre d'utilisateurs connectés ?
- message d'erreur "refusing to run with writable root".
- Help! I'm getting the error message "str_getpwnam".
- Help! Local users cannot log in.
- Help! Uploads or other write commands give me "500 Unknown command".
- Help! What are the security implications referred to in the "chroot_local_user" option?
- Help! Uploaded files are appearing with permissions -rw-----.
- Help! How do I integrate with LDAP users and logins?
- Help! Does vsftpd do virtual hosting setups?
- Help! Does vsftpd support virtual users?
- Vsftpd prend-il en charge différents paramètres pour différents utilisateurs ?
- Help! Can I restrict vsftpd data connections to a specific range of ports?
- Je reçois le message "OOPS: chdir".
- Help! vsftpd is reporting times as GMT times and not local times!
- Help! Can I disable certain FTP commands?
- Help! Can I change the port that vsftpd runs on?
- Help! Will vsftpd authenticate against an LDAP server? What about a MySQL server?
- Help! Does vsftpd support per-IP limits?
- Help! Does vsftpd support bandwidth limiting?
- Help! Does vsftpd support IP-based access control?
- Help! Does vsftpd support IPv6?
- Help! vsftpd doesn't build, it fails with an error about being unable to find -
- Help! I've put settings in `/etc/vsftpd.conf`, but they are not taking effect!
- Help! vsftpd doesn't build, it complains about problems with incomplete types in `sysutil.c`.
- Help! I'm getting messages along the lines of 500 OOPS: `vsf_sysutil_bind` when trying to do downloads (particularly lots of small files).
- Help! Does vsftpd support hiding or denying certain files?
- Help! Does vsftpd support FXP?
- Help! I'm getting the error "426 Failure writing network stream." on downloads.
- Help! I'm using the `pam_userdb` login module and the login hangs.
- Help! Does vsftpd support large files (>2Gb?).
- Help! Well, large file support doesn't seem to be working, then!
- Help! The built-in vsftpd listener is hanging or crashing!

- [Help! I'm using Solaris / Veritas and vsftpd is hanging!](#)
- [Does vsftpd support SSL / TLS based encryption?](#)
- [Help! I'm using FlashFXP and getting truncated files on download.](#)
- [Help! I'm trying to build vsftpd, and I get an error along the lines of "krb5.h: no such file or directory".](#)
- [Help! I'm getting the error "OOPS: capset" when I try to connect to vsftpd.](#)
- [Help! I'm getting the error "ftp: netin: Interrupted system call".](#)
- [Help! When trying SSL transfers, users log in and are no longer restricted to their home directory! They can browse the entire filesystem!](#)
- [Help! I'm getting connections dropped whilst using gFTP for an SSL](#)
- [Help! SSL data connections are not working.](#)
- [Help! My LDAP / mysql / etc. authentication and / or username lookup are failing!](#)

Puis-je restreindre les utilisateurs à leur répertoire HOME ?

Oui. Sans doute en utilisant :



```
chroot_local_user=YES
```

Pourquoi les liens symboliques ne fonctionnent-ils pas avec chroot_local_user=YES ?

C'est une conséquence du fonctionnement de la sécurité de chroot() . Comme alternative, voir les liens en dur, ou le puissant



```
...@...:~$ mount --bind
```

vsftpd peut-il limiter le nombre d'utilisateurs connectés ?

Oui, indirectement. vsftpd est un service basé sur inetd. Si vous utilisez le populaire "xinetd" la "xinetd" populaire comme inetd, il supporte les limites de connexion par service ou par IP. Il y a un exemple dans le répertoire "EXAMPLE".



Si vous exécutez vsftpd en mode "standalone" avec le réglage

```
listen=YES
```

, alors vous disposez du réglage (par ex.) :



```
max_clients=10
```



message d'erreur "refusing to run with writable root".

vsftpd se protège contre les configurations dangereuses. La cause de ce message est généralement une appartenance douteuse du répertoire home du ftp. Le répertoire home ne doit PAS être possédé par l'utilisateur ftp lui-même. Il ne doit pas non plus être accessible en écriture par l'utilisateur ftp. Une façon de résoudre ce problème est :



```
...@...:~$ chown root ~ftp; chmod -w ~ftp
```

Une autre cause pourrait être un essai d'utiliser `chroot_local_user` sans avoir réglé correctement le propriétaire du répertoire.



Help! I'm getting the error message "str_getpwnam".



The most likely cause of this is that the user that is configured as the 'nopriv_user' setting (often 'nobody') does not exist on your system. vsftpd needs this user to run bits of itself with no privilege.



Help! Local users cannot log in.



There are various possible problems.



By default, vsftpd disables any logins other than anonymous logins. Put `local_enable=YES` in your `/etc/vsftpd.conf` to allow local users to log in.



vsftpd tries to link with PAM. (Run `ldd vsftpd` and look for `libpam` to find out whether this has happened or not). If vsftpd links with PAM, then you will need to have a PAM file installed for the vsftpd service. There is a sample one for RedHat systems included in the "RedHat" directory - put it under `/etc/pam.d`



If vsftpd didn't link with PAM, then there are various possible issues. Is the user's shell in

✓ /etc/shells? If you have shadowed passwords, does your system have a “shadow.h” file in the include path?

✓ If you are not using PAM, then vsftpd will do its own check for a valid user shell in /etc/shells. You may need to disable this if you use an invalid shell to disable logins other than FTP logins. Put `check_shell=NO` in your /etc/vsftpd.conf.

? Help! Uploads or other write commands give me "500 Unknown command."

✓ By default, write commands, including uploads and new directories, are disabled. This is a security measure. To enable writes, put `write_enable=YES` in your /etc/vsftpd.conf.

? Help! What are the security implications referred to in the "chroot_local_user" option?

✓ Firstly note that other ftp daemons have the same implications. It is a generic problem. The problem isn't too severe, but it is this: Some people have FTP user accounts which are not trusted to have full shell access. If these accounts can also upload files, there is a small risk. A bad user now has control of the filesystem root, which is their home directory. The ftp daemon might cause some config file to be read - e.g. /etc/some_file. With `chroot()`, this file is now under the control of the user. vsftpd is careful in this area. But, the system's libc might want to open locale config files or other settings...

? Help! Uploaded files are appearing with permissions -rw-----.

✓ Depending on if this is an upload by a local user or an anonymous user, use “local_umask” or “anon_umask” to change this. For example, use “anon_umask=022” to give anonymously uploaded files permissions -rw-r-r-. Note that the “0” before the “22” is important.

✓ Also see the vsftpd.conf.5 man page for the new “file_open_mode” parameter.

? Help! How do I integrate with LDAP users and logins?



Use vsftpd's PAM integration to do this, and have PAM authenticate against an LDAP repository.



Help! Does vsftpd do virtual hosting setups?



Yes. If you integrate vsftpd with xinetd, you can use xinetd to bind to several different IP addresses. For each IP address, get xinetd to launch vsftpd with a different config file. This way, you can get different behaviour per virtual address.



Alternatively, run as many copies as vsftpd as necessary, in standalone mode. Use "listen_address=x.x.x.x" to set the virtual IP.



Help! Does vsftpd support virtual users?



Yes, via PAM integration. Set "guest_enable=YES" in /etc/vsftpd.conf. This has the effect of mapping every non-anonymous successful login to the local username specified in "guest_username". Then, use PAM and (e.g.) its pam_userdb module to provide authentication against an external (i.e. non-/etc/passwd) repository of users. Note - currently there is a restriction that with guest_enable enabled, local users also get mapped to guest_username. There is an example of virtual users setup in the "EXAMPLE" directory.



Vsftpd prend-il en charge différents paramètres pour différents utilisateurs ?



Oui - d'une manière très puissante. Regardez le paramètre "user_config_dir" dans la page de manuel.




Help! Can I restrict vsftpd data connections to a specific range of ports?




Yes. See the config settings "pasv_min_port" and "pasv_max_port".


Je reçois le message "OOPS: chdir".

-  S'il s'agit d'une connexion anonyme, vérifiez que le répertoire personnel de l'utilisateur "ftp" est correct. Si vous utilisez le paramètre de configuration "anon_root", vérifiez qu'il est également correct.


Help! vsftpd is reporting times as GMT times and not local times!


-  This behaviour can be changed with the setting "use_localtime=YES".

Help! Can I disable certain FTP commands?


-  Yes. There are some individual settings (e.g. `dirlist_enable`) or you can specify a complete set of allowed commands with "cmds_allowed".

Help! Can I change the port that vsftpd runs on?


-  Yes. If you are running vsftpd in standalone mode, use the "listen_port" directive in `vsftpd.conf`.


-  Yes. If you are running vsftpd from an `inetd` or `xinetd` program, this becomes an `inetd` or `xinetd` problem. You must change the `inetd` or `xinetd` configuration files (perhaps `/etc/inetd.conf` or `/etc/xinetd.d/vsftpd`)

Help! Will vsftpd authenticate against an LDAP server? What about a MySQL server?


-  Yes. vsftpd uses PAM for authentication, so you need to configure PAM to use `pam_ldap` or `pam_mysql` modules. This may involve installing the PAM modules and then editing the PAM config file (perhaps `/etc/pam.d/vsftpd`).

Help! Does vsftpd support per-IP limits?


 Yes. If you are running vsftpd standalone, there is a “max_per_ip” setting.


 Yes. If you are running vsftpd via xinetd, there is an xinetd config variable “per_source”.

Help! Does vsftpd support bandwidth limiting?


 Yes. See vsftpd.conf.5 man page and investigate settings such as “anon_max_rate” and “local_max_rate”.

Help! Does vsftpd support IP-based access control?


 Yes. vsftpd can integrate with tcp_wrappers (if built with this support). It is enabled with the setting “tcp_wrappers=YES”.


 Yes. vsftpd can be run from xinetd, which supports tcp_wrappers integration.

Help! Does vsftpd support IPv6?

 Yes, as of version 1.2.0. Read the vsftpd.conf.5 man page.

Help! vsftpd doesn't build, it fails with an error about being unable to find -

 Install the libcap package and retry the build. Seems to affect Debian users a lot.

 Install the libcap-devel. This certainly affects Fedora.



Help! I've put settings in `/etc/vsftpd.conf`, but they are not taking effect!



This is affecting some RedHat users - some RedHat versions put the config file in `/etc/vsftpd/vsftpd.conf`.



Help! vsftpd doesn't build, it complains about problems with incomplete types in `sysutil.c`.



Your system probably doesn't have IPv6 support. Either use a more modern system, use an older vsftpd (e.g. v1.1.3), or wait for a version of vsftpd without this problem!



Help! I'm getting messages along the lines of 500 OOPS: vsf_sysutil_bind when trying to do downloads (particularly lots of small files).



vsftpd-1.2.1 should sort this out.



Help! Does vsftpd support hiding or denying certain files?



Yes. Look at the `hide_file` and `deny_file` options in the manual page.



Help! Does vsftpd support FXP?



Yes. An FTP server does not have to do anything special to support FXP. However, you may get tripped up by vsftpd's security precautions on IP addresses. In order to relax these precautions, have a look in the `vsftpd.conf.5` for `pasv_promiscuous` (and the less advisable `port_promiscuous`).



Help! I'm getting the error "426 Failure writing network stream." on downloads.





You shouldn't see this with v1.2.1 or newer versions of vsftpd. Older versions of vsftpd can give this error if the user tries to download something from an unusual filesystem (e.g. FAT), which don't support performance features used by vsftpd. With vsftpd-1.1.3 and newer there is a config workaround, use `use_sendfile=NO`.



Help! I'm using the `pam_userdb` login module and the login hangs.



This could be a bad interaction with glibc version 2.3 and PAM. A Debian user reported this. The initial report is here:

<http://lists.debian.org/debian-glibc/2003/debian-glibc-200309/msg00310.html>



Help! Does vsftpd support large files (>2Gb?).



Yes, it does.



Help! Well, large file support doesn't seem to be working, then!



Large file support first appeared in v1.1.0.



Solaris large file support wasn't fixed until v1.2.2.



FreeBSD large file support wasn't fixed until v1.2.2.



The early Linux 2.6 kernels had a bug in this area - use v2.6.6 or newer.



Are you sure your `FTP_client_` correctly supports large files?



Help! The built-in vsftpd listener is hanging or crashing!



A bug in this area is fixed in vsftpd v1.2.2. The problem has always existed but seems to frequently trigger only on certain platforms. For example, Fedora Core 1 - the suspected trigger is a glibc-2.3 platform, possibly in combination with a NPTL-enabled kernel.



Help! I'm using Solaris / Veritas and vsftpd is hanging!



Suspected bug with the Solaris / Veritas combination. With vsftpd-1.2.3 there is a possible workaround: `no_log_lock=YES` in your `vsftpd.conf.5`.



Does vsftpd support SSL / TLS based encryption?



Yes, as of v2.0.0, this is supported for the control and data connections (hurrah). You need a build of vsftpd with this support enabled, and then you need to activate the `ssl_enable` setting. NOTE there are security considerations with this support. Please make sure to read the `ssl_enable` section in the `vsftpd.conf.5` man page thoroughly before using.



Help! I'm using FlashFXP and getting truncated files on download.



FlashFXP is buggy - particularly with SSL transfers. Upgrade to v3.0RC4 or newer, which is reported to be fixed.



Help! I'm trying to build vsftpd, and I get an error along the lines of "krb5.h: no such file or directory".



Yes, seems to be a problem with some RedHat setups. See http://bugzilla.redhat.com/bugzilla/show_bug.cgi?id=111301 for details and suggested workarounds.



Help! I'm getting the error "OOPS: capset" when I try to connect to vsftpd.



This is an issue with SELinux enabled distributions. The solution is to make sure the capability



kernel module is loaded.



Help! I'm getting the error "ftp: netin: Interrupted system call".



Seems to be a bug in ftp-tls, particularly with SSL transfers with bandwidth limiting in effect.



Help! When trying SSL transfers, users log in and are no longer restricted to their home directory! They can browse the entire filesystem!



Most likely, your FTP client is in fact using the SSH protocol rather than the FTP protocol - so sshd is in control and not vsftpd!



Of course, make sure you turn on the chroot_local_user option!!



Help! I'm getting connections dropped whilst using gFTP for an SSL



The version of gFTP on my Fedora Core 10 installation appears to send the "SIZE" command plain text during an SSL connection, which obviously breaks the SSL connection.



Help! SSL data connections are not working.



As of v2.1.0, vsftpd only accepts data connections that are reused sessions of the control connection. This is a security measure. Unfortunately, not all FTP clients reuse sessions (e.g. curl). You can disable this requirement by changing `require_ssl_reuse` to NO.



Help! My LDAP / mysql / etc. authentication and / or username lookup are failing!



As of v2.2.0, the built-in sandboxing uses network isolation on Linux. This may be interfering with any module that needs to use the network to perform operations or lookups. Try changing `isolate_network` to NO.



Voir aussi

Basé sur <https://security.appspot.com/vsftpd/FAQ.txt>.

From:

<https://doc.nfrappe.fr/> - **Documentation du Dr Nicolas Frappé**

Permanent link:

<https://doc.nfrappe.fr/doku.php?id=logiciel:internet:ftp:vsftpd:faq:start>



Last update: **2024/04/20 07:24**